

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

a liquid-permeable adhesive member having a thickness of not more than 5 mm comprising a hydrophilic adhesive and a polyol plasticizer; and

an isolating layer having a basis weight of 2 to 100 g/m² which separates said active ingredient member from said adhesive member but which permits migration of said mold removing ingredient to at least a portion of said adhesive upon use;

wherein said hydrophilic adhesive is at least 30% by weight of said liquid-permeable adhesive member, said hydrophilic adhesive has a water content of 0.1% to 60% by weight, wherein said adhesive member substantially covers one side of said isolating layer, and said cleaning assembly upon use being adhered to an object to be cleaned by applying the adhesive member to the surface of the object and thereafter applying water thereto.

3. (Twice Amended) An adhesive cleaning assembly according to claim 1, wherein said mold removing ingredient is provided on said supporting sheet, said isolating layer is provided on said active ingredient member to cover said active ingredient member, and said adhesive is provided on said isolating layer to form said adhesive member.

4. (Amended) An adhesive cleaning assembly according to claim 1, wherein said adhesive member has a perforated structure having through-holes.

5. (Twice Amended) An adhesive cleaning assembly according to claim 1, wherein said adhesive member is a plurality of adhesive bands arranged in parallel in a width direction of said isolating layer.

7. (Twice Amended) The adhesive cleaning assembly according to claim 1, wherein said hydrophilic adhesive is selected from the group consisting of (i) a polymer having a salt-forming group, (ii) a nonionic water-soluble polymer, (iii) gelatin, (iv) an emulsion polymer, and (v) a crosslinked product of the polymers (i) to (iv).

8. (Twice Amended) The adhesive cleaning assembly according to claim 1, wherein said hydrophilic adhesive is a sodium styrenesulfonate/methacrylic acid copolymer.

9. (Amended) The adhesive cleaning assembly according to claim 1, wherein said adhesive member further comprises an ingredient selected from the group consisting of a surfactant, a chelating agent and water.

10. (Amended) The adhesive cleaning assembly according to claim 1, wherein said water content of said hydrophilic adhesive is 1% to 30% by weight.

11. (Amended) An adhesive mold removing cleaning assembly comprising:

a) a liquid-permeable supporting sheet having a basis weight of 5 to 200 g/m²;

b) an active ingredient-containing sheet comprising a mold removing ingredient;

c) an adhesive layer having a thickness of not more than 5 mm comprising a hydrophilic adhesive and a polyol plasticizer; and

d) an isolating layer which separates said active ingredient member from said adhesive member but which permits migration of said mold removing ingredient to at least a portion of said adhesive upon use;

wherein said hydrophilic adhesive comprises at least 30% by weight of said liquid-permeable adhesive member c),

wherein said active ingredient-containing sheet b) is laminated to said isolating layer d), whereby the surface of said active ingredient-containing sheet b) is covered with said isolating layer d), and

said adhesive mold removing cleaning assembly upon use being adhered to the surface of an object to be cleaned by applying said liquid-permeable adhesive layer c) thereof to the object and thereafter applying water thereto.

12. (Amended) The adhesive mold removing cleaning assembly of claim 1, wherein said isolating layer comprises spun lace nonwoven.

13. (Amended) The adhesive mold removing cleaning assembly of claim 11, wherein said isolating layer comprises spun lace nonwoven.

14. (Amended) The adhesive mold removing cleaning assembly of claim 18, wherein said isolating layer comprises a polyhydric alcohol.

16. (Amended) The adhesive mold removing cleaning assembly of claim 14, wherein said polyhydric alcohol is polyethylene glycol.

Add the following new claims:

- - 18. An adhesive mold removing cleaning assembly comprising:

a liquid-permeable supporting sheet having a basis weight
of 5 to 200 g/m²;

an adhesive layer having a thickness of not more than 5 mm
comprising a hydrophilic adhesive and a polyol plasticizer;

said hydrophilic adhesive having admixed therewith a
multitude of particles of a mold removing ingredient;

wherein said hydrophilic adhesive is at least 30% by weight
of said adhesive layer and has a water content of 0.1% to 60% by
weight;

the surface of each of said mold removing particles being
coated with a water-soluble isolating layer to prevent contact
between said mold removing particles and said hydrophilic
adhesive; and

said cleaning assembly upon use being adhered to the surface
of an object to be cleaned by applying the adhesive layer thereof
to the surface of the object and applying water thereto.

19. The adhesive cleaning assembly according to claim 18,
wherein said hydrophilic adhesive is selected from the group
consisting of (i) a polymer having a salt-forming group, (ii) a
nonionic water-soluble polymer, (iii) gelatin, (iv) an emulsion
polymer, and (v) a crosslinked product of the polymers (i) to
(iv).

20. The adhesive cleaning assembly according to claim 18, wherein said hydrophilic adhesive is a sodium styrenesulfonate/methacrylic acid copolymer.

21. The adhesive cleaning assembly according to claim 18, wherein said adhesive member further comprises an ingredient selected from the group consisting of a surfactant, a chelating agent and water.

22. The adhesive cleaning assembly according to claim 18, wherein said water content of said hydrophilic adhesive is 1% to 30% by weight.

23. The adhesive cleaning assembly according to claim 1, wherein said assembly has a thickness of from 0.2 to 10 mm.

24. The adhesive cleaning assembly according to claim 11, wherein said assembly has a thickness of from 0.2 to 10 mm.

25. The adhesive cleaning assembly according to claim 18, wherein said assembly has a thickness of from 0.2 to 10 mm. - -